



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
09/780,288	02/09/2001	Harihara Rama Subramanian	010814.000010

CONFIRMATION NO. 6769

27643
THOMPSON & KNIGHT L.L.P.
PATENT PROSECUTION DEPARTMENT
801 CHERRY ST., SUITE 1600
FORT WORTH, TX 76102

CORRECTION COVER LETTER



OC000000006345605

Date Mailed: 07/30/2001

COVER LETTER FOR CORRECTION OF PREVIOUS NOTICE

The Notice mailed on 03/15/2001 was sent in error and is hereby withdrawn. A corrected Notice is enclosed. The time period for reply runs from the mail date of the corrected Notice. We apologize for any inconvenience this caused.

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/780,288	02/09/2001	Harihara Rama Subramanian	010814.000010

CONFIRMATION NO. 6769

FORMALITIES LETTER



OC000000006356286

27643
THOMPSON & KNIGHT L.L.P.
PATENT PROSECUTION DEPARTMENT
801 CHERRY ST., SUITE 1600
FORT WORTH, TX 76102

Date Mailed: 07/30/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY